ML1-100Y 1/3



PRODUCT-DETAILS

ML1-100Y ML1-100Y Pilot Light



| General Information | |
|-----------------------|---|
| Extended Product Type | ML1-100Y |
| Product ID | 1SFA611400R1003 |
| EAN | 7320500306178 |
| Catalog Description | ML1-100Y Pilot Light |
| Long Description | The ML1-100Y Pilot Light is: Maintained/Momentary - Pilot light head - Yellow- Illuminated This Pilot Light is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

| Ordering | |
|------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536619090 |

ML1-100Y 2/3

| Popular Downloads | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02 |
| Instructions and Manuals | 1SFC151011M0201 |

| Dimensions | |
|-------------------------------|----------|
| Product Net Width | 0.03 m |
| Product Net Height | 0.03 m |
| Product Net Depth / Length | 0.033 m |
| Product Net Weight | 0.018 kg |

| Technical | |
|---------------------|----------------------|
| Ambient Air | Operation -25 +70 °C |
| Temperature | Storage -40 +85 °C |
| Color | Yellow |
| Actuator Type | Pilot light head |
| Illumination | Illuminated |
| Enclosure Type NEMA | Type1 |
| | Type12 |
| | Type13 |
| | Type3R |
| | Type4 |
| | Type4X |

| Environmental | |
|----------------------|------------|
| Degree of Protection | Front IP66 |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|----------------------------------|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |

ML1-100Y 3/3

| Container Information | |
|---------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Depth / Length | 0.15 m |
| Package Level 1 Height | 0.03 m |
| Package Level 1 Gross Weight | 0.018 kg |
| Package Level 1 EAN | 7320500306178 |

| Classifications | |
|---------------------------------------|--|
| Object Classification | P |
| Code | |
| ETIM 6 | EC000223 - Front element for indicator light |
| ETIM 7 | EC000223 - Front element for indicator light |
| ETIM 8 | EC000223 - Front element for indicator light |
| eClass | V11.0 : 27371211 |
| UNSPSC | 39121534 |
| IDEA Granular Category Code (IGCC) | 4766 >> Indicator or pilot lights |
| E-Number (Finland) | 2339005 |
| E-Number (Norway) | 4372573 |
| E-Number (Sweden) | 3716203 |

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Control\ Products\ \rightarrow\ Pilot\ Devices\ \rightarrow\ Modular\ Plastic\ Range\ \rightarrow\ ML\ Modular\ Pilot\ Lights$ $Medium\ Voltage\ Products\ and\ Systems\ \rightarrow\ Service\ \rightarrow\ Spares\ and\ Consumables\ \rightarrow\ Parts\ \rightarrow\ All\ Spare\ Parts\ (Relays-SWG-CB)$







